

Thèses et Thésards

Norman Walsh

Ramon Casellas

James Devenish

May 22, 2003

DEDICATION

This test book is dedicated to all the testers. This is the first para of the dedication.

This is the second para of the dedication.

This is the third para of the dedication.

Preface #1 Title

id185449

Preface content.

This is the second para of the preface.

This is the third para of the preface.

Contents

I	Part One Title	9
1	XRef Tests	13
2	Section Tests	15
2.1	a sect1 title	15
2.1.1	a sect2 title	16
2.1.1.1	a sect3 title	16
2.2	another sect1 title	16
2.2.1	another sect2 title	16
2.2.1.1	another sect3 title	16
2.3	another sect1 title	17
2.4	another sect1 title	17
3	Inline Tests	19
3.1	Testing “Quotes” in a title	19
4	Probabilité de Palm	21
4.1	Formule de Mecke	21
5	Block Tests	23
5.1	Formal Objects	23
5.2	Informal Objects	24
5.3	Admonitions	25
5.4	Other Objects	27
6	List Tests	29
6.1	OrderedLists	29
6.2	ItemizedLists	31
6.3	VariableLists	32
6.4	SimpleLists	32
6.5	More Complex List Item Content	33
6.6	Segmented List	33
7	Table Tests	35
8	Index Term Tests	37
8.1	Index Term Sect 1	37
8.1.1	Index Term Sect 2	37
8.1.2	Index Term Sect 3	37
II	Part Two Title	39
9	CmdSynopsis Tests	43
10	FuncSynopsis Tests	45
11	Callout Tests	47

III	A Reference Part	49
12	Reference	53
A	A Very Short Appendix	55
B	A Very Long Appendix	57
B.1	a sect1 title	60
B.1.1	a sect2 title	60
B.1.1.1	a sect3 title	60
B.2	another sect1 title	61
B.2.1	another sect2 title	61
B.2.1.1	another sect3 title	61
B.3	another sect1 title	61
B.4	another sect1 title	61

Part I

Part One Title

id185470

Chapter 1

XRef Tests

chapter

id185533

Xrefs

Thèses et Thésards

Part II

Chapter I, *XRef Tests*

Appendix A

Table 5.1

Figure 5.1

Example 5.1.1

Equation 5.1.1

Reference I2

“A Test Bibliography”

“Example Glossary”

“Index”

this is a test of ENST

Thèses et Thésards

Part II

Chapter I, *XRef Tests*

Appendix A

Table 5.1

Figure 5.1

this is a test of ENST

Example 5.1.1

Equation 5.1.1

Reference I2

“A Test Bibliography”

“Example Glossary”

“Index”

This is the first reference to *XML*. This is the second reference to XML. These are references without linkend attributes: *XML*, XML.

id186381

Links

More [DSSSL information](#) is available.

There is a [second part](#) in this book.

This is the [XRef Tests](#) chapter.

Chapter 3

Inline Tests

id234692

3.1 Testing “Quotes” in a title

id234699

id234701

Footnotes¹ are inlines. Sort of². Another footnote[?].

Abbrev	GUILabel	SGMLTag (Attribute)
Acronym	GUIMenu	SGMLTag (AttValue)
Action	GUISubMenu	SGMLTag (Element)
Application	Hardware	<SGMLTag/> (EmptyTag)
^{Citation} [Citation]	$e = mc^2$	</SGMLTag> (EndTag)
CiteRefEntry RefEntryTitle(n)	Interface	&SGMLTag; (GenEntity)
<i>Citetitle</i>	InterfaceDefinition	&#SGMLTag; (NumCharRef)
ClassName	KeyCap	%SGMLTag; (ParamEntity)
Command	KeyCode	<?SGMLTag?> (PI)
Comment (Comment)	Key-Combo	<!--SGMLTag--> (SGMLComment)
ComputerOutput	KeySym	<SGMLTag> (StartTag)
Database	Literal	<SGMLTag> (StartTag)
ErrorMessage	Markup	<i>StructField</i>
ErrorType	<i>MediaLabel</i>	StructName
<Email>	Menu → Choice (C-x-C-c)	Subscript
<i>Emphasis</i>	MouseButton	Superscript
EnVar	Option	Symbol
ErrorCode	[Optional]	SystemItem
Filename	<i>Parameter</i>	Token
<i>Firstterm</i>	Phrase	Trademark™
<i>ForeignPhrase</i>	Prompt	Type
Function	Property	http://ulink/
GUIMenuItem	“Quote”	UserInput
GUIButton	<i>Replaceable</i>	<i>WordAsWord</i>
GUIButton (with Accel)	ReturnValue	ProductName
GUIIcon	SGMLTag	

And here are a couple of index terms, as another test (of index terms, not inlines). ♣

¹Like this!

²Well, the marks are, anyway!

Chapter 4

Probabilité de Palm

id235411

4.1 Formule de Mecke

sect1.Mecke

$$\begin{aligned}\lambda \int \int_{\Omega \times R} v(\omega, t) P_N^0(dw) dt &= \int \int_{\Omega \times R} v(\theta_t \omega, t) P(dw) N(w, dt) \\ \lambda \int \int_{\Omega \times R} f(t, Z_0(w)) P_N^0(dw) dt &= \int \int_{\Omega \times R} f(t, Z_t) P(dw) N(w, dt) \\ \lambda \int \int_{\Omega \times R} f(t, Z_0(w)) P_N^0(dw) dt &= \int \int_{R \times K} f(t, z) \lambda_Z(dt \times dz) \\ \lambda \int \int_{\Omega \times R} f(t, Z_0(w)) P(dw) N(w, dt) &= E \left\{ \sum_{n \in Z} f(T_n, Z_0(\theta_{T_n})) \right\} \\ \lambda \int \int_{\Omega \times R} f(t, Z_0(w)) P(dw) N(w, dt) &= E \left\{ \sum_{n \in Z} f(T_n, Z_n) \right\}\end{aligned}$$

Cambell,

$$E \left\{ \sum_{n \in Z} f(T_n, Z_n) \right\} = \int \int_{R \times K} f(t, z) \lambda_Z(dt \times dz)$$

Campbell-Little-Mecke ($\lambda_Z(dt \times dz) = \lambda dt P_N^0(Z_0 \in dz)$)

$$E \left\{ \sum_{n \in Z} f(T_n, Z_n) \right\} = \lambda \int \int_{R \times K} f(t, z) dt P_N^0(Z_0 \in dz)$$

Physical Network / Graph / Virtual Graph




Figure 5.2: A pdf/eps fig

figureeps

$$e = mc^2$$

Equation 5.1.2: An Equation

equation2

Table

Table 5.1: A Table

1%1	1
2	4
3	9

5.2 Informal Objects


InformalExample

This is an example of a trivial, informal example.

InformalEquation

$$e = mc^2$$

InformalTable



(a)

Figure 5.3: LOOK WHAT HAPPENS WHEN YOU PUT SEVERAL IMAGEOBJECT !!!

fig

itable

1	1
2	8
3	27

5.3 Admonitions

id235984

id235991


Note

NOTE



Consider yourself noted.
Second para.

NOTE



Consider yourself noted, simply.

NOTE**TITLE**



Consider yourself noted.
Second para, with a title.

ATT



Consider yourself noted, simply.
With a title

id236045

Important

IMPORTANT



Consider yourself important.

id236059

Tip

TIP



Consider yourself tipped.

id236072

Warning

WARNING



Consider yourself warned.

id236086

Caution

CAUTION



Consider yourself cautioned.

id236099

SimPara in Caution

SIMPLE CAUTION



A simpler caution.

5.4 Other Objects

id236116

id236124

Screen

```

This
  is           With a line-annotation
    a
    screen
  This
    is           With a line-annotation
    a
screen
This
  is           With a line-annotation
    a
    screen

```

id236147

ProgramListing

```

This
  is
    a
programlisting

```

id236160

Address

```

Norman Walsh
ArborText, Inc.
1000 Victors Way
Ann Arbor, MI 48108
US

```

```

Voice: 313.997.0200
Fax: 313.997.0201

```

```

Email: nwalsh@arbortext.com
WWW: http://www.arbortext.com/

```

id236206

BlockQuote

```

    The universe that we observe has precisely the properties we should expect if there is, at
    bottom, no design, no purpose, no evil and no good, nothing but pitiless indifference. –
    Richard Dawkins

```

id236220

Procedure

1. This is the first step
2. This is the second step
 - (a) This is the first substep
 - (b) This is the second substep
3. This is the third step

id236285

Procedure With Title

```

SAME PROCEDURE WITH A TITLE

```

1. This is the first step
2. This is the second step
 - (a) This is the first substep
 - (b) This is the second substep
3. This is the third step

id236354

SideBar

id236359

What About Bob?

This is a sidebar.

id236371

MsgSet

It's not really clear how `MsgSet` should be presented. I expect that it's fairly application, if not document, specific. Record failed CRC

id236466

Record *n* in *database*File read error on *database*

id236523

Panic! Corrupt record! Level: severeOrigin: serverAudience: all Indicates that some sort of error occurred attempting to load a record from the database. Retry. If failure persists, contact the database administrator.

id236548

LiteralLayout

This is a
literal
layout

This is a
literal
layout
in a para

Chapter 6

List Tests

id236574

6.1 OrderedLists

id236580

FONT FILENAME EXTENSIONS

TTF TrueType fonts.

PFA, PFB PostScript fonts. PFA files are common on UNIX systems, PFB files are more common on Windows systems.

id236653

Default Numeration

1. One
2. this one starts with
a program listing
what happens?
3. this one starts with a synopsis what happens?
4. para first this one has a synopsis what happens?
5. Three

A
Screen
Here
6. Four

id236685

id236699

id236729

Arabic Numeration

- 1 One
- 2 Two
- 3 Three
- 4 Four

id236776

Arabic Numeration (Long)

- 1 One
- 2 Two

- 3 Three
- 4 Four
- 5 Five
- 6 Six
- 7 Seven
- 8 Eight
- 9 Nine
- 10 Ten
- 11 Eleven

id236875 UpperAlpha Numeration

- A One
- B Two
- C Three
- D Four

id236921 LowerAlpha Numeration

- a One
- b Two
- c Three
- d Four

id236968 UpperRoman Numeration

- I One
- II Two
- III Three
- IV Four

id237015 LowerRoman Numeration

- i One
- ii Two
- iii Three
- iv Four

id237062 Continued

First list:

- 1. One
- 2. Two

3. Three

4. Four

Second list:

1. Five

2. Six

3. Seven

4. Eight

5. Nine

6. Ten

6.2 ItemizedLists

id237243

id237250

Default Presentation

- One
- One-point-five. This one starts with a program listing what happens?
- Two
- Three
- Four

id237300

Block Elements in a List

- One
Another para.
- Two
- Three
- Four

id237344

Alternate Mark and OverRide

- TeX and LaTeX
- Troff
- Lout
- Test

id237390

No mark Presentation

- One
- Two
- Three
- Four

6.3 VariableLists

id237437

Term1 Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah.

Term2 Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah.

Term3 Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah.

- One
- Two
- Three
- Four

Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah.

Term4 Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah.

Another List Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah.

Program Listing
 An inline listing
 Is the First Element
 of this VarListEntry

Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah.

6.4 SimpleLists

id237662

id237670

Inline

An inline simple list: One, Two, Three, Four, Five, Six, Seven

id237710

Horiz

One Two Three
 Four Five Six
 Seven

id237751

Vert

One Four Seven
 Two Five
 Three Six

6.5 More Complex List Item Content

id237792

- One
Second para
 - Two
Second para
 - Three
Second para
 - Four
Second para
 - **Formal Element** Five
Second para
 - Six
1. One
Second para
 2. Two
Second para
 3. Three
Second para
 4. Four
Second para
 5. **Formal Element** Five
Second para
 6. Six

6.6 Segmented List

id237952

STATE BIRDS

State: Alabama Bird: Yellowhammer
State: Alaska Bird: Willow Ptarmigan
State: Arizona Bird: Cactus Wren
State: Arkansas Bird: Mockingbird
State: California Bird: California Valley Quail
State: Colorado Bird: Lark Bunting
State: Connecticut Bird: Robin
State: Delaware Bird: Blue Hen Chicken
State: Florida Bird: Mockingbird
State: Georgia Bird: Brown Thrasher
State: Hawaii Bird: Nene

State: Idaho Bird: Mountain Bluebird
State: Illinois Bird: Cardinal
State: Indiana Bird: Cardinal
State: Iowa Bird: Eastern Goldfinch
State: Kansas Bird: Western Meadowlark
State: Kentucky Bird: Cardinal
State: Louisiana Bird: Eastern Brown Pelican
State: Maine Bird: Chickadee
State: Maryland Bird: Baltimore Oriole
State: Massachusetts Bird: Chickadee
State: Michigan Bird: Robin
State: Minnesota Bird: Common Loon
State: Mississippi Bird: Mockingbird
State: Missouri Bird: Bluebird
State: Montana Bird: Western Meadowlark
State: Nebraska Bird: Western Meadowlark
State: Nevada Bird: Mountain Bluebird
State: New Hampshire Bird: Purple Finch
State: New Jersey Bird: Eastern Goldfinch
State: New Mexico Bird: Roadrunner
State: New York Bird: Bluebird
State: North Carolina Bird: Cardinal
State: North Dakota Bird: Western Meadowlark
State: Ohio Bird: Cardinal
State: Oklahoma Bird: Scissor-tailed Flycatcher
State: Oregon Bird: Western Meadowlark
State: Pennsylvania Bird: Ruffed Grouse
State: Rhode Island Bird: Rhode Island Red
State: South Carolina Bird: Great Carolina Wren
State: South Dakota Bird: Ring-necked Pheasant
State: Tennessee Bird: Mockingbird
State: Texas Bird: Mockingbird
State: Utah Bird: American Seagull
State: Vermont Bird: Hermit Thrush
State: Virginia Bird: Cardinal
State: Washington Bird: Willow Goldfinch
State: West Virginia Bird: Cardinal
State: Wisconsin Bird: Robin
State: Wyoming Bird: Western Meadowlark

Chapter 7

Table Tests

id238608

id238615

Alternate Alignment on Entry

id238621

h1	h2	h3
left	center	center
center	right	right

id238806

h1	h2	h3
left	center	center
center	right	right

id238910

h1	h2	h3
<i>left emph</i>	center emph/bold	center literal
center filename	right command	right

id239031

Absolute Widths

id239036

h1	h2	h3
e1	e2	e3
e1	e2	e3
e1	e2	e3

id239145

Relative Widths

id239150

left	center	right
center	right	

id239222

Complex

id239228

A1	A2	A3	A4	A5	A6
B1	B2	B3	B5	B6	
C1	C2	C3	C4	C5	
D2	D3	D4			
E1	E2	E4			
F1	F2	F3	F4	F5	F6

id239522

With Footnotes

id239527

foo ^a	fnr3	flnr	ex1b
bar ^a	5 ^b		

^aA meaningless word

^bA meaningless number

Chapter 8

Index Term Tests

id241758

Test data. ↓

8.1 Index Term Sect 1

id241793

Test data. ↓

8.1.1 Index Term Sect 2

id241939

Test data. ↓

8.1.2 Index Term Sect 3

id242009

foo

Part II

Part Two Title

part

Chapter 9

CmdSynopsis Tests

id242033

Very Simple CmdSynopsis

id242040

id242045

`cd directory`

id242068

Simple CmdSynopsis

id242073

`cal [-j] [-y] [month [year]]`

id242120

Another Simple CmdSynopsis

id242125

`chgrp [-R [-H | -L | -P]] [-f] group file...`

id242210

Slightly Complex CmdSynopsis

id242294

`emacs [-t file] [-q] [-u user] [+number] [-f function...] [-l file...] file...`

id242381

Quite Complex CmdSynopsis

id242386

`cccp [-$] [-C] [-Dname [=definition]...] [-dD] [-dM] [-I directory...] [-H] [-I-]
[-imacros file...] [-include file...] [-lang-c | -lang-c++ | -lang-objc]
[-lint] [-M | -MD | -MM | -MMD] [-nostdinc] [-P] [-pedantic] [-pedantic-errors]
[-trigraphs] [-Uname] [-undef] [-Wtrigraphs] [-Wcomment] [-Wall] [-Wtraditional]
infile | - outfile | -`

Chapter 10

FuncSynopsis Tests

id242750

Two Simple Parameters

id242758

id242763

```
int max (int1, int2);  
int int1;  
int int2;
```

id242797

Variable Arguments

id242802

```
#include <varargs.h>  
  
int max ( ... );
```

id242830

Void

id242835

```
int rand ();
```

id242855

Function Pointer Arguments

id242860

```
void qsort (dataptr, left, right, (* comp));  
void *dataptr[];  
int left;  
int right;  
int (* comp) (void *, void *);
```


Chapter 11

Callout Tests

id242916

id243003

CallOut (using AREASPEC)

```
@rem = '---Perl---'
@echo off
perl.exe %_batchname %$
goto endofperl
@rem '

# Compress mail...

require 'n:/home/nwalsh/lib/cygnus.pl';
require 'timelocal.pl';
use Cwd;

select (STDERR); $| = 1;
select (STDOUT); $| = 1;

@DIRS = ("/home/nwalsh/Mail");
while (@DIRS) {
    $dir = shift @DIRS;
    opendir (DIR, $dir);
    while ($fname = readdir(DIR)) {
        $file = "$dir/$fname";
        next if ! -d $file;
        next if $fname =~ /\.\.?$/;

        print "$file\n";
        push (@DIRS, $file);
        &compress ($file);
    }
}

exit;
```

callout ??? The prologue handles embedding a Perl script in a DOS batch file. callout ??? The `goto` statement, interpreted by the DOS batch file interpreter, skips over the body of the Perl script. callout ??? The `require` statement sources in external program fragments. callout ??? The `use` statement is similar, but has additional utility. It is a Perl5 function. (Note that this callout area specifies both a line and a column.) callout ??? This is a user subroutine call.

id243150

CallOut (using CO)

```
this is a line
this is another line
```

there's a callout in here.
and there's another on the
next line
right here:

callout1 First callout.

Second para in first callout. **callout2** Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah.

Second callout.

Third para in second callout. **callout1 callout2** This paragraph describes *both* callouts.

Part III

A Reference Part

id243222

Chapter 12

Reference

reference

RefEntryTitle

id243286

Name

id243265

RefName1, RefName2 – Yes, there must be a purpose!

Synopsis

id243267

A Synopsis Goes Here

A RefSect1

id243275

Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah.

A RefSect2

id243284

Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah.

id243294

A RefSect3 Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah.¹ Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah. Blah blah blah blah.

id243303

Chop

id243310

Name

Chop – strip trailing whitespace

Description

id243334

Returns the argument string without trailing whitespace.

¹This is a footnote in a refentry.

Example 12.0.1: chop() example

```
id243344 $trimmed = Chop($line);
```

Appendix A

A Very Short Appendix

appendix

Blah.

A Test Bibliography

Books

`AhoSethiUllman96` [AhoSethiUllman96] *Compilers, Principles, Techniques, and Tools*, Alfred V. Aho, Ravi Sethi, and Jeffrey D. Ullman, Addison-Wesley Publishing Company, Copyright © 1996 Bell Telephone Laboratories, Inc., 0-201-10088-6, James T. DeWolf.

Periodicals

`id244835` [Kites75] *Kites*, Andrea Bahadur and Mark Shwarek, Copyright © 1974, 1975 Product Development International Holding N. V., 0-88459-021-6, Plenary Publications International, Inc., 988-999.

`Abbrev` [Abbrev] *A Really Full BiblioEntry*, AuthorFirstname AuthorSurname, Copyright © 1998 Copyright holder, EditorFirstName EditorSurname, ISBN, PageNums, PubDate, PubPublisherNameAny Street Anywhere, XX 99999 USA, ReleaseInfo.

`Citation` [Citation] *A Really Full BiblioEntry*, . **3.1**

`Walsh97` [Walsh97] , .

Example Glossary

gloss

This is not a real glossary, it's just an example.

E

id244908

Extensible Markup Language (XML)

Some reasonable definition here. See also "[Standard Generalized Markup Language](#)".

S

id244941

SGML See "[Standard Generalized Markup Language](#)".

Standard Generalized Markup Language (SGML) [ISO 8879:1986]

Some reasonable definition here. See also "[Extensible Markup Language](#)".

Index

- [, 37
- ap1, 15
- ap2, 15
- bp1
 - bp1bs1, 15
- bp2, 15
- chap-level, 37
 - sec
 - tert, 37
- cp1
 - cp1cs1
 - cp1cs1ct1, 15
- cp2, 15
- dp1
 - dp1ds1, 15
 - dp1ds2, 15
- dp2, 15
- ep1
 - ep1es1
 - ep1es1et1, 15
 - ep1es2, 15
- ep2, 15
- fp1
 - fp1fs1, 15
 - fp1fs2
 - fp1fs2ft1, 15
- fp2, 15
- gp1
 - gp1gs1, 15
 - gp1gs2, 15
 - gp1gs2gt1, 15
 - gp1gs2gt2, 15
 - gp1gs3, 15
- gp2, 15
- hp1
 - hp1hs1
 - hp1hs1ht1, 16
 - hp1hs1ht2, 16
- hp2, 16
- ip1, 16
 - ip1is1, 16
 - ip1is1it1, 16
 - ip1is1it2, 16
 - ip1is2
 - ip1is2it1, 16
- ip2, 16
- jp1, 16
 - jp1js1
 - jp1js1jt1, 16
 - jp1js1jt2, 16
- jp2, 16
- oft-repeated, 37
 - with id, 37
- sect1-level, 37
 - sec, 37
- sect1-other
 - sec, 37
- sect2-level, 37
- x
 - x, 37